

IoT BASED INTELLIGENT TRAFFIC CONTROL SYSTEM

M.Yogheshwaran

D.Praveenkumar

S.Pravin

P.M.Manikandan

Dr.S.Saravanan

Department of Electrical and Electronics Engineering, Muthayammal Engineering College, Namakkal, Tamilnadu, India

ABSTRACT

In recent days we are running in the critical world, An Emergency saving our life need in position to have Ambulance, Due to having traffic in all the places may take delay. Due to this we face unexpected things to rectify in this we make a model. Traffic light control assigns a right way to the road users by using lights in normal colors. Traffic light control system uses a worldwide color code. Over speed is the major problem that prevails now a day. It is difficult to control. To make people using vehicle to go in slow speed in accident area. In order to overcome this problem. This project is developed for the users to control the Speed of the vehicle when it crosses and to stop it when red signal in Traffic.

KEYWORDS:

Microcontroller, Traffic Signal, Embedded System

INTRODUCTION

The industrialization and population, there has been a huge growth in the traffic. With growth in traffic, there is occurrence of bundle of problems too; these problems include traffic jams, accidents and traffic rule violation at the heavy traffic signals. In this situation traffic lights based on the voice intensity of the vehicle play an important role in traffic management. Traffic lights are the IR based signaling devices that are placed on the intersection points and employed to control the flow of traffic on the road. The history of the traffic light control goes back to 1868 when the first traffic lights system was installed in London and today this system could be found in all major cities of the world. Traffic control at intersections is a matter of concern for large cities.

EXISTING SYSTEM

The signal from the sensor is given to the microcontroller through driver section. The microcontroller controls the speed of the vehicle. The vehicle motor is driven by DC power supply. When the sensor senses the ID, it sends signal to the microcontroller. The infrared region is approximately demarcated from 0.75 to 1000 μm . The wavelength region from 0.75 to 3 μm is termed as near infrared, the region from 3 to 6 μm is termed mid-infrared. The LED structure plays a crucial role in emitting light from the LED surface. The LEDs are structured to ensure most of the recombination takes place on the surface by the following two ways.

PROPOSED SYSTEM

In this system we will use IR sensors to measure the traffic density. They are arranged on each side of the road and are interfaced to the microcontroller. Based on these sensors, controller detects the traffic and control the traffic system. IR sensors are connected to the microcontroller. If there is traffic on road then that particular sensor output becomes logic zero otherwise logic one. Based on logic 0 and logic 1 output, the microcontroller changes the glow time of the green LED of the corresponding junction to a higher value. Thus as a number of vehicle increases, the green light glows for more time. An infrared sensor is an electronic instrument that is used to sense certain characteristics of its surroundings by either emitting and/or detecting infrared radiation. It is also capable of measuring heat of an object and detecting motion. Infrared waves are not visible to the human eye. In the electromagnetic spectrum, infrared radiation is the region having wavelengths longer than visible light wavelengths, but shorter than microwaves. The infrared region is approximately demarcated from 0.75 to 1000 μm . The wavelength region from

0.75 to 3 μm is termed as near infrared, the region from 3 to 6 μm is termed mid-infrared. The LED structure plays a crucial role in emitting light from the LED surface. The LEDs are structured to ensure most of the recombination takes place on the surface by the following two ways.

BLOCK DIAGRAM



Fig.1. Block Diagram

LCD

For display, a Lampex make 16*1 LCD (model GDM1601A) was used. Pin connections of this LCD are given in Table II. Pins 15 and 16 haven't been used. Pin 3 is connected to the circuit ground through a 1kilo-ohm preset that is used to control the light intensity of the LCD. Note that the Hitachi make 16*1 LCD (HD44780A00) will not work in this project.

IRSENSOR



Fig.2. IR Sensor

IR detectors are little microchips with a photocell that are tuned to listen to infrared light. They are almost always used for remote control detection - every TV and DVD player has one of these in the front to listen for the IR signal from the clicker. Inside the remote control is a matching IR LED, which emits IR pulses to tell the TV to turn on, off or change channels. IR light is not visible to the human eye, which means it takes a little more work to test a setup. There are a few difference between these and say. IR detectors are specially filtered for Infrared light, they are not good at detecting visible light. On the other hand, photocells are good at detecting yellow/green visible light.




FIG.3. HARDWARE SETUP

IJETRM

International Journal of Engineering Technology Research & Management

Micro controller AT89C52 (IC2) is a 40-pin IC from Atmel. The pin detail of AT89C52, it also belongs to the 8031/8051 family. Micro controller AT89C52 has a 256*8-bit internal random-access memory (RAM), eight interrupt sources and 8 KB of flash memory compared to 128*8-bit internal RAM, six interrupt sources and 4 KB of flash memory in AT89C51. By combining a versatile 8-bit CPU with flash memory on a monolithic chip, Atmel AT89C52 is a powerful, highly flexible and cost-effective solution to many embedded control applications. Port 0 and 2 are 8-bit bi-directional input/output (I/O) ports. The external-access enable pin 9EA) is connected to +Vcc for internal program executions. This pin also receives the 12V programming-enable voltage (VPP) during flash programming, when 12V programming selected.

CONCLUSION

By introducing the concept of this technology in the Field of the communication we can make our communication more efficient and faster, with greater efficiency. We can display the messages with less errors and maintenance. This system can be used in the above technical paper explains how we can develop as well as modify voice control Android based wireless notice board.

REFERENCES

- [1] N. Kham, and C. Nwe, "Implementation of modern traffic light control system", International journal of scientific and research publications, Vol. 4, Issue 6, Jun.2014.
- [2] I. Isa, N. Shaari, A. Fayeez, and N. Azlin, "Portable wireless traffic light system (PWTLS)", International journal of research in engineering and technology, Vol. 3, Issue 2, pp. 242-247, Feb2014.
- [3] P. Sinhmar, "Intelligent traffic light and density control using IR sensors and microcontroller", International journal of advanced technology & engineering research (IJATER), Vol. 2, Issue 2, pp. 30- 35, March2012.
- [4] E. Geetha, V. Viswanadha, and G. Kavitha, "Design of intelligent auto traffic signal controller with emergency override", International journal of engineering science and innovative technology (IJESIT), Vol. 3 , Issue 4, pp. 670-675, July2014.
- [5] G. Kavya, and B. Saranya, "Density based intelligent traffic signal system using PIC microcontroller", International journal of research in applied science.
- [6] A. Dakhole, M. Moon, "Design of intelligent traffic control system based on ARM", International journal of advance research in computer science and management studies.
- [7] A. Jadhav, B. Madhuri, and T. Ketan, "Intelligent traffic light control system (ITLCS)", Proceedings of the 4th IRF international conference, Pune, 16 March2014.
- [8] M. Srivastava, Prenaet all, "Smart traffic control system using PLC and SCADA", International journal of inoovative research in science engineering and technology.
- [9] M. Khattak, "PLC based intelligent traffic control system", International journal of electrical & computer sciences (IJECS), Vol. 11, No. 6, pp. 69-73, Dec.2011.
- [10] V.Dhinesh, T.Premkumar, S.Saravanan and G.Vijayakumar," Online Grid Integrated Photovoltaic System with New Level Inverter System" International Research Journal of Engineering and Technology, Vol.5, Issue 12, pp.1544-1547, 2018.
- [11] J.Vinoth, T.Muthukumar, M.Murugandam and S.Saravanan," Efficiency Improvement of Partially Shaded PV System, International Journal of Innovative Research in Science, Engineering and Technology, Vol.4, Special issue 6, pp.1502-1510, 2015.
- [12] M.B.Malayandi, Dr.S.Saravanan, Dr. M.Muruganandam, "A Single Phase Bridgeless Boost Converter for Power Factor Correction on Three State Switching Cells", International Journal of Innovative Research in Science, Engineering and Technology, Vol. 4, Special Issue 6, pp. 1560-1566, May 2015.

- [13] A.Sasipriya, T.Malathi, and S.Saravanan, "Analysis of Peak to Average Power Ratio Reduction Techniques in SFBC OFDM System" IOSR Journal of Electronics and Communication Engineering (IOSR-JECE), Vol. 7, No.5, 2013.
- [14] P.Ranjitha, V.Dhinesh, M.Muruganandam, S.Saravanan, "Implementation of Soft Switching with Cascaded Transformers to drive the PMDC Motor", International Journal of Innovative Research in Science, Engineering and Technology, Vol. 4, Special Issue 6, pp. 1411-1418, May 2015.
- [15] C.Sowmiya, N.Mohanandhini, S.Saravanan and M.Ranjitha,"Inverter Power Control Based On DC-Link Voltage Regulation for IPMSM Drives using ANN" International Research Journal of Engineering and Technology (IRJET), Vol.5, Issue 11, pp.1442-1448, 2018.
- [16] N.Yuvaraj, B.Deepan, M.Muruganandam, S.Saravanan, "STATCOM Based of Adaptive Control Technique to Enhance Voltage Stability on Power Grid", International Journal of Innovative Research in Science, Engineering and Technology, Vol. 4, Special Issue 6, pp. 1454-1461, May 2015.
- [17] P.Manikandan, S.Karthick, S.Saravanan and T.Divya," Role of Solar Powered Automatic Traffic Light Controller for Energy Conservation" International Research Journal of Engineering and Technology (IRJET), Vol.5, Issue 12, pp.989-992, 2018.
- [18] R.Satheesh Kumar, D. Kanimozhi, S. Saravanan, "An Efficient Control Scheme for Wind Farm Using Back to Back Converter," International Journal of Engineering Research & Technology (IJERT), Vol. 2, No.9, pp.3282-3289, 2013.
- [19] K.Prakashraj, G.Vijayakumar, S.Saravanan and S.Saranraj, "IoT Based Energy Monitoring and Management System for Smart Home Using Renewable Energy Resources," International Research Journal of Engineering and Technology, Vol.7, Issue 2, pp.1790-1797, 2020.
- [20] J Mohammed siddi, A. Senthil kumar, S.Saravanan, M. Swathisriranjani, "Hybrid Renewable Energy Sources for Power Quality Improvement with Intelligent Controller," International Research Journal of Engineering and Technology, Vol.7, Issue 2, pp.1782-1789, 2020.
- [21] S. Raveendar, P.M. Manikandan, S. Saravanan, V. Dhinesh, M. Swathisriranjani, "Flyback Converter Based BLDC Motor Drives for Power Device Applications," International Research Journal of Engineering and Technology, Vol.7, Issue 2, pp.1632-1637, 2020.
- [22] K. Manikanth, P. Manikandan, V. Dhinesh, Dr. N. Mohanandhini, Dr. S. Saravanan, "Optimal Scheduling of Solar Wind Bio-Mass Systems and Evaluating the Demand Response Impacts on Effective Load Carrying Capability," International Research Journal of Engineering and Technology, Vol.7, Issue 2, pp.1632-1637, 2020.
- [23] T.R. Vignesh, M.Swathisriranjani, R.Sundar, S.Saravanan, T.Thenmozhi," Controller for Charging Electric Vehicles Using Solar Energy", Journal of Engineering Research and Application, vol.10, Issue.01, pp.49-53, 2020.
- [24] V.Dhinesh, Dr.G.Vijayakumar, Dr.S.Saravanan," A Photovoltaic Modeling module with different Converters for Grid Operations", International Journal of Innovative Research in Technology, vol.6, Issue 8, pp.89-95, 2020.
- [25] V. Dhinesh, R. Raja, S. Karthick, Dr. S. Saravanan," A Dual Stage Flyback Converter using VC Method", International Research Journal of Engineering and Technology, Vol.7, Issue 1, pp.1057-1062, 2020.
- [26] G. Poovarasan, S. Susikumar, S. Naveen, N. Mohanandhini, S. Saravanan," Study of Poultry Fodder Passing Through Trolley in Feeder Box," International Journal of Engineering Technology Research & Management, vol.4, Issue.1, pp.76-83, 2020.
- [27] C. Sowmya, N. Mohanandhini, S. Saravanan, and A. Senthil kumar," Using artificial intelligence inverter power control which is based on DC link voltage regulation for IPMSM drives with electrolytic capacitor," AIP Conference Proceedings 2207, 050001 (2020); <https://doi.org/10.1063/5.0000390>, Published Online: 28 February 2020.
- [28] M.Revathi, S.Saravanan, R.Raja, P.Manikandan," A Multiport System for A Battery Storage System Based on Modified Converter with MANFIS Algorithm," International Journal of Engineering Technology Research & Management, vol.4, issue 2, pp.217-222, 2020.

- [29] Dr.S.Saravanan, S.Karthick, K.Rajeshkumar,S.Sriramachandran, P.Surjeethkumar,” Fishermen Border Alert System,” International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, Vol.9, Issue, 03, pp.236-241, 2020.
- [30] A.Yuvaraj, S.Vijay, M.Saran, V.Dhinesh, S.Saravanan,” Agriculture Fire Monitoring Robot Using IOT,” International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering, Vol.9, Issue, 03, pp.257-262, 2020.
- [31] A.Ananthan, A.M.Dhanesh, J.Gowtham, R.Dhinesh, G.Jeevitha, Dr.S.Saravanan,” IoT Based Clean Water Supply”, International Journal of Engineering Technology Research & Management, Vol.4, Issue.3, pp.154-162, 2020.
- [32] S.Karthikeyan, A.Krishnaraj, P.Magendran, T.Divya, Dr.S.Saravanan,” The Dairy Data Acquisition System”, International Journal of Engineering Technology Research & Management, Vol.4, Issue.3, pp.163-169, 2020.
- [33] A.Arulkumar, S.Balaji, M.Balakrishnan, G.Dineshkumar, S.Saravanan,” Design and Implementation of Low Cost Automatic Wall Painting Machine”, International Journal of Engineering Technology Research & Management, Vol.4, Issue.3, pp.170-176, 2020.
- [34] N.Harish, R.Jayakumar, P.Kalaiyaran, G.Vijayakumar, S.Saravanan,” IoT Based Smart Home Energy Meter”, International Journal of Engineering Technology Research & Management, Vol.4, Issue.3, pp.177-183, 2020.
- [35] M.Amaran, S.Mannar Mannan, M.Madhu, Dr.R.Sagayaraj, Dr.S.Saravanan,” Design and Implementation of Low Cost Solar Based Meat Cutting Machine”, International Journal of Engineering Technology Research & Management, Vol.4, Issue.3, pp.184-190, 2020.
- [36] R.Anbarsan, A.Arsathparvez, K.S.Arunachalam, M.Swathisriranjani, Dr.S.Saravanan,” Automatic Class Room Light Controlling Using Arduino”, International Journal of Engineering Technology Research & Management, Vol.4, Issue.3, pp.192-201, 2020.