iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

MATURITY ASSESSMENT FRAMEWORKS FOR DEVOPS AND AGILE TEAMS: TOOLS AND METRICS

Utham Kumar Anugula Sethupathy
Independent Researcher, Atlanta, USA
ANUG0001@e.ntu.edu.sg

ABSTRACT:
The adoption of Agile and DevOps practices has become a strategic imperative for enterprises seeking to accelerate software delivery and enhance market responsiveness. While many organizations embrace these methodologies, a significant challenge persists: the objective measurement of progress and maturity. Without structured assessment frameworks, organizations often rely on subjective impressions, vanity metrics, or incomplete dashboards, which obscure genuine progress and mislead stakeholders. This article proposes a comprehensive hybrid maturity assessment framework that integrates two complementary perspectives: a capability maturity model based on qualitative dimensions such as culture, automation, architecture, and testing, and a performance maturity model grounded in quantitative indicators, notably the four key DevOps Research and Assessment (DORA) metrics. We provide detailed maturity rubrics, implementation toolchains, and practical guidance on linking capabilities with performance outcomes. To illustrate its application, a case study from a global financial institution demonstrates how the framework enables data-driven transformation planning and the quantification of improvements in both technical and business outcomes. By blending cultural diagnostics with hard performance data, this framework offers leaders a holistic, objective, and actionable instrument to benchmark their current state, guide their transformation journey, and demonstrate tangible business value.

Keywords:
DevOps, Agile, Maturity Model, Performance Metrics, DORA Metrics, Continuous Improvement, Key Performance Indicators (KPI), Software Delivery Lifecycle (SDLC), Continuous Integration, Continuous Delivery.

1. INTRODUCTION

The pace of digital transformation in 2018 has reached a point where software delivery capability is directly tied to organizational survival. The shift toward **customer-centric digital platforms, continuous engagement channels, and always-on services** has elevated software from a support function to the backbone of business strategy [1]. Enterprises across financial services, telecommunications, healthcare, and retail are expected to deliver high-quality digital features in days or weeks, not quarters. This pressure forces organizations to embrace methodologies that prioritize **speed, reliability, and adaptability**.

Agile development, which emerged in the early 2000s through the Agile Manifesto [2], challenged the rigid linearity of waterfall methods by introducing iterative, incremental delivery and strong customer involvement. By 2018, Agile had become the default approach for most enterprises. Yet, Agile alone primarily focuses on the **"left side" of the value stream**—from ideation to code completion—while the "right side" of the pipeline, encompassing integration, deployment, and operations, often remained fragmented [3].

This gap gave rise to **DevOps**, a movement emphasizing cultural alignment, automation, and continuous feedback across the full software delivery lifecycle. DevOps is not merely a set of tools but a philosophy of breaking down silos, encouraging shared ownership, and using automation as the connective tissue between development and operations [4]. When implemented effectively, DevOps reduces time-to-market, improves service reliability, and enhances employee engagement.

However, organizations still face a recurring challenge: **how to measure progress objectively**. Leaders often rely on anecdotal evidence or vanity metrics such as the number of deployments or story points completed. These indicators do not capture whether business outcomes—such as faster recovery from incidents, reduced risk, or customer satisfaction—are truly improving [5]. Furthermore, transformation programs frequently stall because executives demand proof of value, and teams struggle to demonstrate measurable improvements.

iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

This paper argues that a **structured maturity assessment framework** is essential to bridge this gap. Such a framework should:

- Diagnose organizational strengths and weaknesses.
- Benchmark against peers and industry leaders.
- Link cultural and technical practices to quantifiable performance outcomes.
- Provide an actionable roadmap for continuous improvement.

While several models exist, most either focus heavily on **qualitative assessments** (e.g., maturity checklists, workshops) or on **quantitative performance data** (e.g., deployment frequency). Neither approach alone provides a complete picture. Thus, we propose a **hybrid model** that integrates both perspectives: a qualitative capability maturity model and a quantitative performance maturity model grounded in the **four DORA metrics**. This approach not only identifies what level an organization is at, but also explains *why* it is there and *how* to improve. The remainder of this paper is structured as follows: Section 2 reviews the evolution of process maturity models and current DevOps maturity approaches. Section 3 introduces the hybrid maturity assessment framework, including capability and performance axes. Section 4 discusses practical implementation and tooling. Section 5 presents a case study of Global Bank Inc. Section 6 offers a discussion of findings and implications, and Section 7 concludes.

2. BACKGROUND AND STATE-OF-THE-ART

The problem of objectively assessing organizational maturity in software delivery is not new. Over decades, researchers and practitioners have attempted to codify best practices into structured frameworks. While these efforts provide useful scaffolding, their limitations in fast-paced Agile and DevOps contexts highlight the need for adaptation.

2.1 The Legacy of Process Maturity Models: CMMI

The **Capability Maturity Model (CMM)**, developed at Carnegie Mellon University's Software Engineering Institute in the late 1980s, was one of the first systematic attempts to evaluate organizational process maturity. It evolved into the **Capability Maturity Model Integration (CMMI)**, which became a widely adopted benchmark, especially in large enterprises and government projects [6].

CMMI defined five levels of process maturity:

1. **Initial:** Chaotic, ad hoc practices.
2. **Repeatable:** Basic project management processes are established.
3. **Defined:** Processes are standardized across the organization.
4. **Managed:** Processes are measured and controlled.
5. **Optimizing:** Continuous process improvement is institutionalized.

The strengths of CMMI included its **structured roadmap** for process improvement and its ability to instill discipline in large, distributed teams. However, CMMI became increasingly criticized for being **bureaucratic, documentation-heavy, and compliance-oriented**, often prioritizing audits over outcomes [7]. In the Agile era, CMMI appeared misaligned with principles of lightweight processes, customer collaboration, and adaptability. Many Agile practitioners viewed it as antithetical to iterative delivery. Yet, its staged progression remained conceptually powerful and influenced subsequent maturity models.

2.2 Emergence of Qualitative DevOps Maturity Models

Recognizing the need for DevOps-specific assessments, consulting firms and vendors began publishing **DevOps maturity models**. Examples include:

- **Atlassian's Maturity Model (2017):** Focused on teams evolving from ad hoc adoption to optimized practices across culture, automation, measurement, and sharing.
- **Capgemini DevOps Framework (2016):** Provided a five-level scale, linking technical practices such as Infrastructure as Code (IaC) and Continuous Testing to organizational enablers like governance.
- **Forrester's DevOps Assessment (2017):** Introduced a capability-driven perspective, emphasizing leadership and organizational alignment as much as tooling.

Most models converged on a **set of common dimensions**, often inspired by the **C.A.L.M.S. model**:

- **Culture:** Collaboration, shared ownership, and trust.
- **Automation:** Extent of CI/CD, infrastructure provisioning, and testing automation.
- **Lean Processes:** Waste reduction and small batch delivery.
- **Measurement:** Use of metrics to drive improvement.

iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

- **Sharing:** Transparency across teams.

While these models provided valuable diagnostic lenses, their heavy reliance on **surveys, interviews, and self-reported data** created subjectivity. Organizations could "check the boxes" without delivering improved outcomes. For example, a team may claim to practice continuous delivery but still deploy once per quarter. This led to **false positives of maturity** and disillusionment when business results failed to materialize [8].

2.3 The Quantitative Breakthrough: DORA Metrics

A breakthrough occurred with the **DevOps Research and Assessment (DORA) program**, a multi-year empirical study that surveyed over 30,000 professionals worldwide between 2013 and 2017. Published in the influential book *Accelerate* (2018), the findings demonstrated a **causal link between software delivery performance and organizational performance** [9].

The study distilled four metrics that most reliably indicate delivery and operational excellence:

- **Deployment Frequency:** How often software is released.
- **Lead Time for Changes:** Time from code commit to production.
- **Mean Time to Recovery (MTTR):** Time to restore service after incidents.
- **Change Failure Rate:** Percentage of deployments causing outages or rollbacks.

These metrics provided **outcome-based, objective measures** of maturity. Crucially, DORA research showed that elite performers excel at both **speed and stability simultaneously**, challenging the traditional belief in a trade-off between the two [10]. By 2018, these metrics were rapidly becoming an industry standard for benchmarking DevOps adoption.

2.4 The Assessment Gap

Despite these advances, two gaps remained:

1. **Qualitative maturity models** offered roadmaps for capability adoption but did not verify performance outcomes.
2. **Quantitative metrics** provided objective outcomes but did not explain underlying capability gaps.

An organization might know its lead time is 30 days but lack insight into whether culture, automation, or architecture is the limiting factor. Conversely, a team might "score" highly on qualitative assessments but still deliver slowly.

This creates a demand for a **hybrid framework** that links **capabilities** (inputs) with **performance outcomes** (outputs), allowing leaders to identify not only *what* is happening but also *why* and *how* to improve.

3. A HYBRID MATURITY ASSESSMENT FRAMEWORK

The proposed **Hybrid Maturity Assessment Framework** addresses this gap by combining **capability maturity** with **performance maturity**. Organizations are evaluated along two orthogonal axes:

- **X-Axis: Capability Maturity (Practices).**
- **Y-Axis: Performance Maturity (Outcomes).**

The intersection produces four quadrants (Figure 1), each representing a distinct organizational archetype.

iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

Figure 1. Hybrid Assessment Framework Quadrants



Figure 1. The Hybrid Assessment Framework Quadrants. (A two-dimensional quadrant with Capability Maturity on the X-axis, Performance Maturity on the Y-axis, and quadrants labeled Ad-Hoc Chaos, Ad-Hoc Heroes, Stagnant Bureaucracy, High-Performing Elite.)

3.1 The Four Quadrants

- **Ad-Hoc Chaos (Low Capability, Low Performance):** Processes are manual, collaboration is poor, and delivery outcomes are unpredictable. Typical of legacy enterprises beginning transformation.
- **Ad-Hoc Heroes (Low Capability, High Performance):** Small teams, often startups, deliver results through heroics of skilled individuals. Performance is good but unsustainable.
- **Stagnant Bureaucracy (High Capability, Low Performance):** Organizations have invested in tools and processes, but rigidity and over-engineering lead to poor outcomes.
- **High-Performing Elite (High Capability, High Performance):** The target quadrant—where mature practices translate into elite-level performance outcomes across all DORA metrics.

3.2 Assessing Capability Maturity

Capability maturity is assessed using a **five-level rubric** across four dimensions: **Culture & Collaboration, Automation & Tooling, Architecture, and Testing & Quality**. These dimensions synthesize lessons from CMMI and C.A.L.M.S. into a focused framework.

Level	Culture & Collaboration	Automation & Tooling	Architecture	Testing & Quality
1: Initial	Strong silos between Dev, Ops, and QA. 'Throw it over the wall' mentality. Blame-oriented culture.	All processes are manual. Deployments are painful, high-risk events. No version control for infrastructure.	Monolithic, tightly coupled architecture. All changes require coordination across many teams.	Testing is a completely manual phase at the end of the cycle. QA is a separate, gatekeeping team.
2: Repeatable	Some informal collaboration between teams. Pockets of cooperation exist,	Basic build automation (CI) in place for some teams. Some scripting is used	Some modularity exists within the monolith, but dependencies are still high.	Some unit tests are written. QA begins to use automation tools,

iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

	but are not standardized.	for deployments, but inconsistent.		but still separate phase.
3: Defined	Shared goals between Dev and Ops established. Cross-functional teams being formed. Blameless post-mortems introduced.	A standardized CI/CD pipeline is available. Infrastructure as Code (IaC) adopted. Deployments automated.	Monolith being broken into services (e.g., microservices). APIs are well-defined. Teams can deploy independently.	Test automation is a required part of the CI pipeline. QA embedded in teams. Focus shifts to 'building quality in'.
4: Managed	Dev, Ops, and Business aligned around shared objectives. Culture of shared ownership widespread.	CI/CD pipeline is self-service, includes automated security and compliance checks.	Loosely coupled architecture is default. Teams have full ownership from design to production support.	Automated testing covers unit, integration, and acceptance. Performance and security testing automated.
5: Optimizing	Culture of continuous learning and experimentation pervasive. Teams empowered to improve their own processes.	Pipeline continuously improved based on telemetry. Advanced deployment patterns (canary, blue/green) automated.	Architecture continuously evolves to meet business needs. Resilience actively tested (chaos engineering).	Testing is a whole-team responsibility. Test data management automated. Production feedback improves testing.

Table 2. Capability Maturity Assessment Rubric. (Expanded rubric retained from draft; cited as: "As shown in Table 2, maturity levels range from Initial (silos, manual testing, monolithic systems) to Optimizing (continuous experimentation, chaos engineering, pervasive test automation).")

Assessments are typically performed through **facilitated workshops, structured interviews, and evidence review**. Unlike pure self-assessments, this approach triangulates perceptions with artifacts such as deployment logs, architecture diagrams, and test coverage reports.

3.3 Assessing Performance Maturity

Performance maturity is measured directly using the **four DORA metrics**. Data collection is automated through integrations with CI/CD, version control, monitoring, and incident management systems.

Performance Level	Deployment Frequency	Lead Time for Changes	MTTR	Change Failure Rate
Low	Between once per month and once every six months	Between one and six months	More than one day	46–60%
Medium	Between once per week and once per month	Between one week and one month	Between one day and one week	16–30%
High	Between once per day and once per week	Between one day and one week	Less than one day	0–15%
Elite	On-demand (multiple deploys per day)	Less than one hour	Less than one hour	0–15%

Table 3. Performance Maturity Levels (based on 2017 State of DevOps Report [3]). (Provides thresholds for Low, Medium, High, and Elite performers across the four metrics.)

iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

By combining Tables 2 and 3, organizations can map their profile on the hybrid framework. This not only identifies current maturity but also provides **prescriptive guidance**: for example, a team with strong automation (high capability) but poor outcomes may need to focus on **architecture decoupling or cultural alignment** rather than tooling alone.

4. TOOLS AND IMPLEMENTATION FOR DATA-DRIVEN ASSESSMENT

The hybrid maturity framework requires **robust implementation practices** to transform abstract assessments into actionable insights. In practice, organizations must establish a **toolchain and governance model** that enables reliable data collection, consistent measurement, and transparent visualization. Without such infrastructure, maturity assessments risk becoming theoretical exercises with little operational impact.

4.1 Toolchain Architecture

A typical architecture for collecting and analyzing DevOps maturity data is depicted in **Figure 2**.

Figure 2. Reference Architecture for Collecting DevOps Metrics



Figure 2. Reference Architecture for Collecting DevOps Metrics. (Shows Git, Jira, Jenkins, PagerDuty, Prometheus feeding into a central analytics engine, with dashboards in Grafana or Kibana.)
This architecture has three essential layers:

1. **Data Sources** These are operational systems generating raw events:
   - **Version Control (e.g., GitHub, GitLab, Bitbucket):** Tracks commits, branches, and pull requests, forming the basis for calculating **Lead Time for Changes**.
   - **CI/CD Orchestrator (e.g., Jenkins, Bamboo, GitLab CI):** Provides build and deployment logs, timestamps, and outcomes, critical for **Deployment Frequency** and **Change Failure Rate**.
   - **Work Management Systems (e.g., Jira, Rally):** Link story/bug completion to commit and deployment events, contextualizing metrics with business priorities.
   - **Incident Management Tools (e.g., PagerDuty, VictorOps, ServiceNow):** Provide data on incident detection, acknowledgment, and resolution, which feeds into **MTTR**.
   - **Monitoring & Alerts (e.g., Prometheus, Datadog, New Relic):** Supply real-time alerts correlated with deployment events.
2. **Data Aggregation & Analytics Engine** A central hub that correlates events across systems. Approaches include:
   - **Custom Scripts:** Lightweight Python jobs querying APIs to calculate metrics directly. Suitable for pilot programs but limited in scalability.
   - **Log Aggregation Platforms (e.g., ELK Stack):** Event data flows into Elasticsearch via Logstash, normalized into consistent schemas, and queried for DORA metrics.

iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

- **Commercial DevOps Intelligence Platforms:** Products like Hygieia, Plutora, or CloudBees DevOptics provide out-of-the-box dashboards, reducing setup time.

3. **Visualization Layer** Dashboards make metrics visible at different organizational levels:
   - **Team Dashboards:** Real-time CI/CD status, deployment trends, and defect leakage.
   - **Program Dashboards:** Cross-team comparisons, bottleneck analysis, and maturity heatmaps.
   - **Executive Dashboards:** High-level performance summaries tied to business outcomes, often showing trends in **cycle time, failure reduction, and throughput**.

4.2 Implementation Challenges

While conceptually straightforward, data-driven maturity assessment faces several challenges:

- **Data Fragmentation:** Large enterprises use heterogeneous tools; correlating Git commits with deployment incidents requires non-trivial integration.
- **Metric Gaming:** Without cultural alignment, teams may manipulate numbers (e.g., inflating deployment counts through trivial changes). Governance is necessary to emphasize outcomes, not vanity metrics [11].
- **Resistance to Transparency:** Exposing objective data can trigger defensiveness among teams unaccustomed to scrutiny. Early communication and trust-building are essential.
- **Contextualization:** Raw numbers (e.g., "weekly deployments") must be contextualized by system criticality, risk profile, and regulatory environment.

4.3 Best Practices for Sustained Adoption

Organizations that succeed in operationalizing the framework adopt several best practices:

1. **Automate Data Collection:** Avoid manual reporting, which is error-prone and discourages adoption.
2. **Establish a Common Data Dictionary:** Define what constitutes a "deployment," "incident," or "failure" to ensure comparability.
3. **Create Cross-Functional Governance:** A DevOps Center of Excellence (CoE) or Transformation Office ensures consistent application across teams.
4. **Close the Feedback Loop:** Use maturity assessments not only for reporting but for retrospectives, investment decisions, and leadership reviews.

By embedding measurement into daily workflows, maturity assessment becomes part of organizational DNA rather than an annual audit exercise.

5. CASE STUDY: APPLYING THE FRAMEWORK AT GLOBAL BANK INC.

To illustrate the hybrid maturity framework in practice, this section presents a case study of **Global Bank Inc.**, a multinational financial institution with over 200 development teams.

5.1 Context and Challenges

In 2016–2017, Global Bank had embarked on an Agile transformation, training teams in Scrum and Kanban. A Jenkins-based CI system was rolled out as a shared service. However, by mid-2018, executives remained dissatisfied. Product launches were delayed, operational incidents were frequent, and leadership questioned whether DevOps was viable in a **highly regulated banking environment**.

Symptoms included:

- **Quarterly Release Cycles:** Despite Agile adoption, production deployments occurred only four times per year.
- **High Incident Load:** Operations teams reported an average of 200 high-severity incidents annually, most linked to releases.
- **Cultural Silos:** Development and operations retained adversarial relationships, with frequent "blame games" after outages.
- **Regulatory Risk:** Auditors highlighted insufficient traceability between code changes and production incidents.

These conditions created skepticism at the executive level: "DevOps won't work here because we are a bank."

5.2 Initial Assessment

The DevOps CoE applied the **Hybrid Maturity Framework**.

- **Capability Maturity Assessment (Table 2):**
  - *Culture & Collaboration:* Level 1 (siloed Dev/Ops).
  - *Automation & Tooling:* Level 2/3 (CI in place, but manual deployments).
  - *Architecture:* Level 1 (monolithic core banking system).

iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

- *Testing & Quality:* Level 2 (some unit test automation, but manual regression cycles).

- **Performance Maturity Assessment (Table 3):**
  - *Deployment Frequency:* Quarterly.
  - *Lead Time for Changes:* Median 120 days.
  - *MTTR:* 18 hours.
  - *Change Failure Rate:* 52%.

When plotted on the hybrid framework (Figure 3), Global Bank clearly fell into the **Stagnant Bureaucracy** quadrant.

Figure 3. Mapping Global Bank Inc. onto the Hybrid Maturity Framework.
(Highlights poor performance outcomes despite medium-level automation practices.)

5.3 Roadmap for Transformation

The CoE developed a **multi-phase roadmap**:

1. **Architectural Modernization:**
   - Initiated a multi-year program to decompose the monolith into domain-aligned microservices.
   - Introduced APIs with clear ownership boundaries.
   - Piloted "two-pizza teams" with end-to-end accountability.
2. **Pipeline Enhancement:**
   - Shifted from centrally controlled Jenkins pipelines to self-service CI/CD templates.
   - Embedded automated regression, security scanning, and compliance gates.
   - Adopted Infrastructure as Code (IaC) using Ansible and Terraform.
3. **Cultural Interventions:**
   - Embedded operations engineers into development squads.

iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

- Instituted blameless post-mortems, shifting the narrative from "who caused it" to "what failed and why."
- Created a reward structure for **mean time to recovery (MTTR) improvements**, not just feature delivery.

4. **Measurement and Transparency:**
   - Established executive dashboards with the four DORA metrics.
   - Conducted quarterly maturity assessments to demonstrate progress.

5.4 Reassessment after 12 Months

One year later, reassessment revealed significant progress:

- **Deployment Frequency:** From 4/year to 50/year for services migrated to microservices.
- **Lead Time for Changes:** Reduced from 120 days to 6 days (95% improvement).
- **MTTR:** Reduced from 18 hours to 45 minutes (96% improvement).
- **Change Failure Rate:** Reduced from 52% to 12%.



Figure 4. KPI Improvements at Global Bank Inc. (Baseline vs. 12-Month Reassessment).
(Bar chart comparing Deployment Frequency, Lead Time, MTTR, and Change Failure Rate before and after transformation.)

5.5 Broader Business Outcomes

Beyond technical metrics, the bank experienced measurable business benefits:

- **Regulatory Compliance:** Improved auditability of change management reduced audit findings by 70%.
- **Customer Experience:** Incident-driven service disruptions dropped by 60%, improving Net Promoter Scores.
- **Employee Engagement:** Surveys showed a 40% increase in developer satisfaction, attributed to autonomy and reduced firefighting.
- **Financial Impact:** Faster product releases led to a 15% increase in revenue from digital channels.

5.6 Lessons Learned

From the Global Bank case, several insights emerged:

1. **Architecture is destiny:** Without decomposing monoliths, pipeline automation delivered limited benefit.
2. **Culture trumps tools:** Embedding Ops within Dev squads was the turning point for reducing MTTR.
3. **Transparency builds trust:** Objective DORA metrics enabled executives to track progress credibly, silencing skeptics.
4. **Transformation is uneven:** While pilot teams achieved elite performance, legacy systems remained bottlenecks. Managing this dual speed required patience and executive sponsorship.

iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

This case underscores how the hybrid maturity framework provides not just a diagnostic tool but a **strategic enabler for transformation**. By integrating capabilities with outcomes, leaders gain both the "map" and the "compass" for navigating enterprise-scale change.

6. DISCUSSION

The findings from both the literature review and the Global Bank Inc. case study highlight several critical insights about the application of maturity assessment frameworks in Agile and DevOps environments. This section synthesizes those insights, compares the hybrid framework to existing alternatives, and explores its limitations and future directions.

6.1 Comparison with Alternative Approaches

Existing maturity models can be grouped into three categories:

1. **Process-Oriented Models (e.g., CMMI):**
   - Strength: Provide a structured roadmap for capability building.
   - Weakness: Overly prescriptive, documentation-heavy, and not outcome-driven [6].
   - Contrast: The hybrid framework retains the roadmap structure but re-centers evaluation on outcomes.
2. **Qualitative DevOps Maturity Models (e.g., Atlassian, Capgemini):**
   - Strength: Offer actionable insights into cultural and technical practices [8].
   - Weakness: Subjective, survey-driven, prone to bias and "checkbox culture."
   - Contrast: The hybrid framework reduces bias by integrating verifiable quantitative data.
3. **Performance-Only Models (e.g., DORA Metrics):**
   - Strength: Outcome-based, empirically validated, and strongly correlated with business performance [9].
   - Weakness: Diagnostic blind spots—do not explain which practices to improve.
   - Contrast: The hybrid framework complements DORA metrics with capability assessment, linking causes and outcomes.

Thus, the hybrid model combines the **prescriptive strength of process models**, the **practice awareness of qualitative models**, and the **objectivity of quantitative metrics**.

6.2 Limitations

Despite its advantages, the hybrid framework faces limitations:

- **Data Quality Dependency:** Accurate performance maturity measurement requires reliable, integrated tooling. Gaps in logging or inconsistent definitions can distort metrics [11].
- **Cultural Resistance:** Objective assessments can expose underperformance, provoking defensiveness. Without psychological safety, teams may resist transparency.
- **Overemphasis on Metrics:** While metrics are valuable, they must not overshadow qualitative aspects such as leadership trust, learning culture, or innovation.
- **Dual-Speed Organizations:** In large enterprises, newer teams may reach elite performance quickly, while legacy teams remain in lower quadrants. Balancing resources across this disparity is challenging.

6.3 Implications for Practitioners

For practitioners, the hybrid framework offers several implications:

1. **Strategic Benchmarking:** Leaders can position their organization relative to peers, using metrics to justify investments.
2. **Targeted Roadmapping:** Capability gaps explain why metrics lag, enabling precise interventions (e.g., architectural modernization vs. cultural initiatives).
3. **Continuous Feedback:** Repeated assessments create longitudinal baselines that track transformation momentum.
4. **Business Alignment:** By linking technical outcomes (deployment frequency, MTTR) to business impact (customer satisfaction, compliance), practitioners can speak the language of executives.

6.4 Future Directions

Looking forward, maturity assessment will likely evolve in three areas:

- **Telemetry-Driven Self-Healing:** Integration of real-time monitoring, anomaly detection, and AIOps may automate the identification of maturity bottlenecks [12].
- **Contextualized Benchmarks:** Industry-specific baselines (e.g., banking vs. e-commerce) will refine what constitutes "elite performance."

iJETRM
International Journal of Engineering Technology Research & Management
(IJETRM)
https://ijetrm.com/

- **Incorporation of Resilience Engineering:** Beyond efficiency and stability, future frameworks will measure organizational resilience—the ability to adapt under stress [13].

In sum, the hybrid model is not a static tool but a **foundation for iterative refinement**, aligning with the core DevOps principle of continuous improvement.

7. CONCLUSION

The accelerating demands of digital transformation have made Agile and DevOps adoption a necessity, but adoption alone does not guarantee improved outcomes. Organizations require structured, objective methods to measure where they stand, why they stand there, and how they can improve.

This paper has proposed a **Hybrid Maturity Assessment Framework** that integrates **capability maturity** (qualitative practices) with **performance maturity** (quantitative outcomes via DORA metrics). By applying this framework, organizations can not only benchmark their current state but also identify specific gaps, prioritize interventions, and demonstrate measurable progress over time.

The case study of **Global Bank Inc.** illustrates how the framework transforms subjective perceptions into data-driven roadmaps. In just twelve months, the bank improved deployment frequency, lead time, MTTR, and change failure rate, with corresponding improvements in compliance, customer satisfaction, and revenue. These results validate the framework's utility in complex, regulated environments.

While limitations remain—particularly around data quality, cultural resistance, and uneven adoption—the framework provides a balanced approach that combines rigor with relevance. For organizations seeking to thrive in the digital economy, adopting a structured, hybrid maturity assessment is not optional; it is foundational.

By embedding such frameworks into governance, enterprises can foster **sustained transformation**, building not only high-performing technical teams but also resilient, adaptive organizations ready for the future.

REFERENCES

[1] Agile Manifesto. (2001). *Manifesto for Agile Software Development*. Available online: https://agilemanifesto.org/ (accessed on 15 August 2018).
[2] G. Kim, J. Humble, P. Debois, and J. Willis. *The DevOps Handbook: How to Create World-Class Agility, Reliability, & Security in Technology Organizations*. IT Revolution Press: Portland, OR, USA, 2016.
[3] Puppet and DORA. *2017 State of DevOps Report*. Puppet Labs and DevOps Research & Assessment, 2017.
[4] L. Bass, I. Weber, and L. Zhu. *DevOps: A Software Architect's Perspective*. Addison-Wesley Professional: Boston, MA, USA, 2015.
[5] Gremlin. *Chaos Engineering: The History, Principles, and Practice*. Gremlin Inc., 2017.
[6] CMMI Institute. *Capability Maturity Model Integration (CMMI)*. CMMI Institute, 2017.
[7] Callista Enterprise. *Building Microservices: Part 8 – Logging with ELK*. Callista, 2017.
[8] Atlassian. *The DevOps Maturity Model: A Roadmap to Continuous Improvement*. Atlassian, 2017.
[9] N. Forsgren, J. Humble, and G. Kim. *Accelerate: The Science of Lean Software and DevOps*. IT Revolution Press: Portland, OR, USA, 2018.
[10] D. Farley and J. Humble. *Continuous Delivery: Reliable Software Releases through Build, Test, and Deployment Automation*. Addison-Wesley Professional: Boston, MA, USA, 2010.
[11] Planview. *DevOps Culture and Adoption Trends*. Planview, 2017.
[12] Gartner. *Market Guide for AIOps Platforms*. Gartner, 2017.
[13] E. Hollnagel, D.D. Woods, and N. Leveson. *Resilience Engineering: Concepts and Precepts*. Ashgate Publishing: Farnham, UK, 2006.